



Corrigendum

“Benznidazole-resistance in *Trypanosoma cruzi*: Evidence that distinct mechanisms can act in concert”

[Mol. Biochem. Parasit. (2014) 193, 17–19]

M.C.O. Campos^{a,b}, L.L. Leon^b, M.C. Taylor^a, J.M. Kelly^{a,*}

^a Department of Pathogen Molecular Biology, London School of Hygiene and Tropical Medicine, Keppel Street, London WC1E 6HT, UK

^b Laboratório de Bioquímica de Tripanosomatídeos, Instituto Oswaldo Cruz, IOC, Avenida Brasil 436, Manguinhos, Fundação Oswaldo Cruz, Rio de Janeiro, Brazil



The authors regret that Fig. 1 in this paper contains typographical errors. The benznidazole EC₅₀ values on the Y-axis of Fig. 1E and F, and the heading to Fig. 1G, are shown as mM (millimolar). These values should be μM (micromolar).

The authors would like to apologise for any inconvenience caused.

DOI of original article: <http://dx.doi.org/10.1016/j.molbiopara.2014.01.002>.

* Corresponding author at: London School of Hygiene and Tropical Medicine. Tel.: +44 207 927 2330.
E-mail address: john.kelly@lshtm.ac.uk (J.M. Kelly).

<http://dx.doi.org/10.1016/j.molbiopara.2015.05.006>

0166-6851/© 2015 The Authors. Published by Elsevier B.V. All rights reserved. This is an open access article under the CC BY license (<http://creativecommons.org/licenses/by/4.0/>).